



## Liquid Dazzle Training

Welcome to Westcoat's Liquid Dazzle Self-Educated Training. The purpose of this course is to increase your knowledge of our Liquid Dazzle system.

This is a two-step process that will take approximately 45 minutes to complete. You will be required to complete a short test and submit your answers.

### Education

1. Training Video: This 5-minute video takes you through the step-by-step process of correctly installing **Liquid Dazzle** – **click to watch**.
2. Spec Sheet: These spec sheets contain detailed information on uses, materials and coverage rates for this system. The specs also have detailed instructions on the proper application steps from preparation to final coat to achieve a successful installation. Click below to read the spec sheets:

### Liquid Dazzle

3. Materials Cost: Westcoat's Materials Cost Template is a powerful tool for you and your customers. Click below, find and download the Liquid Dazzle Cost Templates. Download and estimate the materials and associated cost for a 500 sq. ft. job.

Liquid Dazzle System Page > scroll down to find the **Material Cost Template**

\*Alternatively, the **Material Estimator** shows the material needed without pricing.

4. Color Chart: The Liquid Dazzle system is available in a variety of colors and finishes, click to review the color charts:

### Liquid Dazzle

5. Tools: Get familiar with the recommended tools needed to install this system.

### Liquid Dazzle Tool Guide

Now to test all the valuable knowledge you've learned, continue to the next page.

## TEST

1. How is Liquid Dazzle unique compared to our other epoxy systems?
  - USDA compliant                      Has metallic additives
  - Can be glossy or matte              Chemical resistant
2. Where are some places Liquid Dazzle can be installed?
  - Decks and balconies                  High design interior spaces
  - Driveways                              Anywhere with forklift traffic
3. Is Liquid Dazzle a 100% Solids epoxy?
  - Yes
  - No
4. What are the two main layers of this system?
  - EC-12 Primer and EC-38 Liquid Dazzle
  - EC-11 Primer and EC-34 Topcoat
5. What is the name of the Liquid Dazzle product?
  - Metallica Epoxy
  - EC-38 Liquid Dazzle Epoxy
6. What can be used prior to the Dazzle coat to level the concrete?
  - Many layers of primer
  - TC-26 Self-Leveling Cement
7. Should clear or pigmented primer be used?
  - Clear is fine.
  - Pigmented should be used since EC-38 is transparent.
8. What is the mixing ratio of the Dazzle coat?
  - No mixing, apply A and then B on top.
  - Mix 2 parts A and 1 part B for 4 to 5 minutes or until completely mixed.
9. What should the coverage rate of the Dazzle Coat be?
  - Approximately 50 sf<sup>2</sup>/gal
  - 200-300 sf<sup>2</sup>/gal
10. Which sealer is recommended for a low maintenance satin finish?
  - SC-65G WB Polyurethane Sealer or EC-95G Polyurethane Topcoat
  - SC-65F WB Polyurethane Sealer or EC-95F Polyurethane Topcoat

**Name:**

**Branch name/Location:**